

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1023	coherence with tomograph\$	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:36
L2	163863	polariz\$ or polaris\$	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:36
L3	101	1 same 2	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:04
L4	59	3 and "356"/\$.ccls.	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:04
L5	42	3 not 4	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:02
L6	363	1 and 2	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:04
L7	105	6 and "356"/\$.ccls. not 3	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:09
L8	157	6 not (3 or 7)	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:13
L9	830	ophthalmoscope or ophthalmoscope-like	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:36
L10	109809	low frequency or low-frequency	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:36
L11	49	1 and 9	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:20
L12	90	1 and 10	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:21
L13	109719	10 not 12	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:21
L14	90	10 not 13	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:31
L15	8	11 and 12	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:33
L16	5	HITZENBERGER-CHRISTOPH or HITZENBERGER-CHRISTOPH-K	US-PGPUB; USPAT	ADJ	ON	2006/01/27 10:34
L17	368	coherence with tomograph\$	EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/27 10:36
L18	132410	polariz\$ or polaris\$	EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/27 10:36
L19	411	ophthalmoscope or ophthalmoscope-like	EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/27 10:36
L20	47923	low frequency or low-frequency	EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/27 10:36

L21	33	17 and 18	EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/27 10:39
L22	2	17 and 19	EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/27 10:39
L23	1	17 and 20	EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2006/01/27 10:39



coherence tomography ophthalmoscope

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 564 for **coherence tomography ophthalmoscope**. (0.06 seconds)**Ultrahigh-resolution ophthalmic optical coherence tomography**

W Drexler, U Morgner, RK Ghanta, FX Kärtner, JS ... - Nat Med, 2001 - nature.com

... Webb, RH, Hughes, GW & Pomerantzeff, O. Flying spot TV **ophthalmoscope**. ... Dreher, AW & Zinser, G. Scanning laser **tomography** of the ... Optical **coherence tomography**. ...Cited by 65 - [Web Search](#) - [nature.com](#) - [biop.dk](#) - [ncbi.nlm.nih.gov](#)**Optical coherence tomography- principles and applications**

AF Fercher, W Drexler, CK Hitzenberger, T Lasser - Reports on Progress in Physics, 2003 - iop.org

... PII: S0034-4885(03)18703-9 Optical **coherence tomography**—principles and applications ...Optical **coherence tomography** (OCT) is physically founded on ODT. ...Cited by 123 - [Web Search](#) - [courses.ece.uiuc.edu](#) - [ee.ncu.edu.tw](#) - [ingentaconnect.com](#) - [all 9 versions »](#)**... retinal vein occlusion documented by optical coherence tomography and scanning laser ophthalmoscope**

GY Fujii, E de Juan Jr, MS Humayun - Ophthalmic Surg Lasers Imaging, 2003 - ncbi.nlm.nih.gov

Improvements after sheathotomy for branch retinal vein occlusion documented by optical **coherence tomography** and scanning laser **ophthalmoscope**. ...Cited by 8 - [Web Search](#)**Transversal and longitudinal images from the retina of the living eye using low coherence ...**

AG Podoleanu, M Seeger, GM Dobre, DJ Webb, DA ... - J. Biomed. Opt, 1998 - dx.doi.org

... An optical **coherence tomography** (OCT) system to produce both longitudinal and transversal ... unobtainable with the state-of-the-art scanning laser **ophthalmoscope**. ...Cited by 19 - [Web Search](#) - [link.aip.org](#) - [adsabs.harvard.edu](#)**[book] Handbook of Optical Coherence Tomography**

BE Bouma, GJ Tearney - 2002 - books.google.com

... Optical **coherence tomography** (OCT) is a recently developed imaging technology that has stimulated considerable interest in the fields of medicine, biology, and ...Cited by 62 - [Web Search](#) - [Library Search](#)**Optical coherence tomography: A new tool for glaucoma diagnosis.**

JS Schuma, MR He, AV Ary, T Pedut-Kloizma, CA ... - Current Opinion in Ophthalmology, 1995 - OCLC

... 8 Webb RH, Hughes GW, Delori FC : Confocal scanning laser **ophthalmoscope**. Appl Opt 1987 26 1492. ... NFL-nerve-fiber layer; OCT-optical **coherence tomography**. ...Cited by 28 - [Cached](#) - [Web Search](#) - [ncbi.nlm.nih.gov](#)**Combined optical coherence tomography and scanning laser ophthalmoscopy**

AG Podoleanu, DA Jackson - Electronics Letters, 2002 - ieeexplore.ieee.org

... an en-face image produced by optical **coherence tomography** and of a confocal image similar to that produced by a scanning laser **ophthalmoscope** is demonstrated ...Cited by 11 - [Web Search](#) - [link.aip.org](#)**The Humphrey optical coherence tomography scanner: quantitative analysis and reproducibility study ...**

AL Jones, NJ Sheen, RV North, JE Morgan - British Journal of Ophthalmology, 2001 - evidence-based-eyecare.com

... Optical **coherence tomography** (OCT) is a new technique for the in vivo ... over the resolution of approximately 300 µm for the scanning laser **ophthalmoscope**. 2. ...Cited by 23 - [Cached](#) - [Web Search](#) - [bjophthalmol.com](#) - [bjo.bmjournals.com](#) - [dx.doi.org](#) - [all 8 versions »](#)**Ultrahigh-resolution optical coherence tomography**



coherence tomography polarizing

Search

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar

Results 1 - 10 of about 393 for **coherence tomography polarizing**. (0.06 seconds)

High-speed fiber-based polarization-sensitive optical coherence tomography of in vivo human skin

CE Saxer, JF de Boer, BH Park, Y Zhao, Z Chen, JS ... - Opt. Lett, 2000 - ol.osa.org

... of polarization-sensitive optical **coherence tomography** (PS OCT ... A low-coherence source(AFC Technologies ... polarization controllers; PB, **polarizing** beam splitter; PD ...Cited by 43 - [Web Search](#) - [mgh.harvard.edu](#) - [imt.liu.se](#) - [bli.uci.edu](#) - [all 9 versions](#) »

Optical coherence tomography- principles and applications

AF Fercher, W Drexler, CK Hitzenberger, T Lasser - Reports on Progress in Physics, 2003 - iop.org

... PII: S0034-4885(03)18703-9 Optical **coherence tomography**—principles and applications ...Optical **coherence tomography** (OCT) is physically founded on ODT. ...Cited by 123 - [Web Search](#) - [courses.ece.uiuc.edu](#) - [ee.ncu.edu.tw](#) - [ingentaconnect.com](#) - [all 9 versions](#) »

... of biological tissue measured with double-beam polarization-sensitive optical coherence tomography

S Jiao, LV Wang - Opt. Lett, 2002 - ol.osa.org

... Polarization-sensitive optical **coherence tomography** (OCT) is emerging as a ... are employedas low-coherence light sources ... are merged by a **polarizing** beam splitter ...Cited by 33 - [Web Search](#) - [oilab.tamu.edu](#) - [ol.osa.org](#) - [adsabs.harvard.edu](#)

Birefringence characterization of biological tissue by use of optical coherence tomography

MJ Everett, K Schoenenberger, BW Colston Jr, LB Da ... - Opt. Lett, 1998 - ol.osa.org

... Optical **coherence tomography** (OCT) is a noninvasive imaging technique ... matched towithin the source coherence length ... A **polarizing** cube splits the recombined beam ...Cited by 53 - [Web Search](#) - [ol.osa.org](#) - [adsabs.harvard.edu](#) - [link.aip.org](#) - [all 5 versions](#) »

... light backscattered from turbid media by use of polarization-sensitive optical coherence tomography

JF de Boer, TE Milner, JS Nelson - Opt. Lett, 1999 - ol.osa.org

... from turbid media by use of polarization-sensitive optical **coherence tomography**(PS-OCT ... wave plates; NDF, neutral-density filter; PBS, **polarizing** beam splitter ...Cited by 48 - [Web Search](#) - [mgh.harvard.edu](#) - [bli.uci.edu](#) - [ibredesign.osa.org](#) - [all 6 versions](#) »

Jones-matrix imaging of biological tissues with quadruple-channel optical coherence tomography

S Jiao, LV Wang - J. Biomed. Opt, 2002 - link.aip.org

... sensitive optical **coherence tomography**," Opt. Lett. 27(2), 101–103 (2002). JJ Giland E. Bernabeu, "Obtainment of the **polarizing** and retardation ...Cited by 18 - [Web Search](#) - [oilab.tamu.edu](#) - [ncbi.nlm.nih.gov](#) - [adsabs.harvard.edu](#)

... depth determination by high-speed fiber-based polarization sensitive optical coherence tomography

BH Park, C Saxer, SM Srinivas, JS Nelson, JF de ... - J. Biomed. Opt, 2001 - link.aip.org

... S. Yazdanfar, "In vivo video rate optical **coherence tomography**," Opt ... polarizationmodulator, PC: static polarization controller, PB: **polarizing** beam splitter ...Cited by 27 - [Web Search](#) - [dx.doi.org](#) - [mgh.harvard.edu](#) - [ncbi.nlm.nih.gov](#) - [all 5 versions](#) »

... of the human retinal nerve fiber layer by polarization-sensitive optical coherence tomography

B Cense, TC Chen, BH Park, MC Pierce, JF de Boer - Opt. Lett, 2002 - ol.osa.org

... 1 With optical **coherence tomography** (OCT), cross-sectional structural ... 830 nm, givinga measured coherence length in ... with one of three **polarizing** beam splitters ...Cited by 16 - [Web Search](#) - [ol.osa.org](#) - [ibredesign.osa.org](#) - [adsabs.harvard.edu](#)